

THOMAS HEREFORDS - 2024 BULL SALE LISTING

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	12/18 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
5	3011	44499737	75L/0R	CUDA	1062/TOR	P/S	2/3/2023	80	675	988	9.0	0.7	69	110	1.8	14.7	33	67	3.5	1.50	1.40	83	0.062	0.47	0.31	\$348	\$145
4	3012	44482457	50L/50R	FP	1049/8132	P	2/3/2023	76	690	934	9.0	0.0	70	108	1.5	20.0	33	68	7.7	1.50	1.60	80	0.062	0.55	0.27	\$403	\$125
6	3014	44482460	100L/100R	FP	1209/IND	P	2/3/2023	74	680	1025	8.6	-0.4	70	107	0.7	25.3	38	73	7.4	1.40	1.40	69	0.062	0.46	0.17	\$472	\$107
4	3017	44499562	100L/100R	KD	1003/STK	P*	2/4/2023	84	762	1036	3.0	2.3	72	112	0.8	23.0	36	72	3.8	1.30	1.40	97	0.032	1.02	0.25	\$485	\$155
4	3018	44482464	75L/90R	FP	1020/STK	P	2/5/2023	83	845	1130	5.0	1.8	86	131	1.3	19.9	38	81	7.9	1.40	1.40	100	0.042	0.75	0.21	\$423	\$142
7	3020	44482467	100L/100R	TST	1172/BRUNO	P*	2/6/2023	69	672	952	6.4	0.5	57	86	0.8	21.5	35	63	2.2	1.50	1.50	75	0.042	0.41	0.60	\$448	\$158
4	3023	44499564	100L/100R	KD	1043/9023	P*	2/7/2023	82	834	1120	4.1	2.6	84	125	1.9	21.5	40	82	9.0	1.40	1.50	99	0.052	0.87	0.33	\$464	\$156
4	3026	44499565	100L/100R	KD	1036/9023	P	2/8/2023	80	721	1005	11.1	1.3	73	108	1.7	26.5	39	76	11.6	1.40	1.40	97	0.042	0.95	0.27	\$537	\$156
7	3028	44482474	90L/100R	TST	1038/9023	P*	2/8/2023	73	674	948	10.6	-0.5	66	91	1.3	23.0	33	66	7.3	1.50	1.50	70	0.022	0.71	0.36	\$451	\$125
5	3029	44499740	100L/90R	CUDA	1087/9002	P*	2/9/2023	83	703	1035	8.4	0.8	71	113	0.7	18.3	40	75	3.0	1.30	1.30	81	0.012	0.67	0.21	\$396	\$139
5	3031	44482475	100L/100R	FP	1021/8132	P	2/12/2023	79	792	1095	7.4	0.2	84	140	1.3	21.4	39	81	7.1	1.50	1.40	99	0.082	0.70	0.25	\$449	\$149
4	3034	44499568	100L/90R	KD	1018/CUDA	P*	2/14/2023	71	749	1025	11.8	0.1	68	102	1.5	19.3	30	64	7.6	1.50	1.50	91	0.062	0.77	0.51	\$433	\$170
6	3035	44499569	100L/100R	KD	1007/8132	P*	2/14/2023	79	648	998	7.5	0.8	58	99	2.0	23.5	36	65	11.8	1.40	1.40	75	0.042	0.51	0.28	\$464	\$134
5	3039	44499744	100L/100R	CUDA	1082/STK	P*	2/16/2023	86	726	1015	6.2	2.5	77	127	1.4	12.0	30	69	-1.1	1.20	1.20	91	0.032	0.83	0.47	\$336	\$180
6	3043	44482481	100L/75R	1033	1009/TST	P*	2/20/2023	81	742	992	7.0	0.3	64	95	1.4	18.5	33	65	4.2	1.30	1.20	73	0.002	0.70	0.45	\$403	\$148
7	3044	44482482	100L/100R	9023	1138/8132	P*	2/21/2023	84	637	966	3.1	2.5	68	111	1.9	17.6	26	60	2.7	1.60	1.60	89	0.022	0.59	0.40	\$392	\$157
5	3055	44482494	40L/80R	0015	1015/8132	P*	2/27/2023	92	704	1010	1.9	3.8	83	125	1.8	20.9	31	73	2.6	1.40	1.40	92	0.002	1.05	0.41	\$470	\$172
4	3058	44482502	100L/100R	FP	5104/BT	P	2/28/2023	75	718	1100	10.9	0.5	76	125	0.9	22.0	35	73	7.5	1.20	1.10	76	0.052	0.31	0.43	\$450	\$148
6	3059	44499745	75L/0R	CUDA	5042/TU	P	2/28/2023	78	685	1045	5.3	2.3	62	104	0.8	10.3	31	62	1.9	1.20	1.20	71	-0.018	0.55	0.29	\$280	\$141
7	3060	44482504	100L/90R	FP	8090/DIV	P	3/1/2023	84	661	928	1.2	1.1	65	95	0.8	17.8	25	57	-1.1	1.40	1.40	76	0.012	0.45	0.09	\$363	\$106
4	3062	44482506	0L/0R	9023	9211/GC	P*	3/1/2023	85	735	1075	10.5	1.8	69	100	1.7	20.8	27	61	5.0	1.40	1.50	83	0.012	0.77	0.16	\$420	\$124
7	3073	44499589	100L/90R	FORT	8117/167Y	P*	3/4/2023	80	628	900	13.3	-0.1	47	70	1.2	21.7	25	48	3.6	1.40	1.30	56	0.032	0.31	0.30	\$414	\$113

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	12/18 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
6	3074	44499756	100L/100R	GR	0224/IND	P*	3/4/2023	71	673	952	14.2	-0.1	59	95	1.2	23.5	28	58	4.5	1.50	1.50	79	0.072	0.90	0.43	\$483	\$156
6	3083	44499759	100L/100R	GR	7095/STK	P*	3/5/2023	80	655	938	16.9	-1.9	58	92	1.4	28.2	29	58	7.0	1.50	1.50	73	0.022	0.40	0.47	\$543	\$153
7	3084	44499760	40L/90R	GR	5153/TST	P*	3/5/2023	76	617	906	14.1	-1.0	55	88	0.7	27.9	29	56	6.7	1.40	1.40	65	0.072	0.51	0.54	\$529	\$144
6	3093	44482630	0L/0R	1033	1050/9023	P*	3/7/2023	79	772	988	5.2	1.0	68	106	1.9	17.7	30	64	0.3	1.50	1.50	85	0.022	0.54	0.34	\$389	\$147
7	3094	44482632	100L/100R	8132	9057/STK	P	3/7/2023	85	656	982	4.3	1.5	64	114	1.3	22.3	34	66	3.3	1.60	1.60	79	0.720	0.46	0.34	\$447	\$139
5	3095	44482633	100L/100R	FP	6006/TL	P	3/7/2023	81	707	1038	4.4	1.6	74	113	1.6	19.0	36	73	3.4	1.30	1.30	93	0.032	0.64	0.07	\$404	\$131
6	3096	44482635	100L/100R	RB	9008/STK	P/S	3/8/2023	88	757	1095	-0.9	2.9	74	113	2.2	19.2	31	68	0.0	1.50	1.60	78	0.042	0.34	0.21	\$396	\$123
4	3100	44499583	50L/40R	KD	7067/STK	P*	3/8/2023	81	807	1125	12.0	0.0	68	106	1.3	27.7	32	66	10.9	1.50	1.60	77	0.042	0.51	0.40	\$525	\$138
5	3101	44515109	100L/100R	TRD	7197/BHD	P/S	3/8/2023	90	641	974	-1.6	3.1	65	111	1.2	19.8	33	66	1.1	1.10	1.30	78	-0.028	0.45	0.27	\$415	\$141
7	3103	44499762	20L/20R	GR	7138/STK	P	3/9/2023	94	686	1050	2.6	3.5	64	113	1.4	25.2	24	56	1.6	1.30	1.40	87	0.032	0.55	0.27	\$504	\$152
5	3105	44499747	10L/0R	CUDA	7019/TL	P*	3/9/2023	76	690	1030	10.3	0.3	72	117	0.7	11.5	40	76	6.4	1.40	1.30	80	0.002	0.37	0.28	\$303	\$150
7	3106	44482641	20L/100R	FP	9015/BHD	P*	3/9/2023	86	717	1135	-0.6	3.0	85	134	1.1	22.2	37	79	2.6	1.40	1.40	94	0.022	0.50	0.17	\$461	\$144
5	3108	44485870	100L/100R	1030	8030/6230	P*	3/9/2023	70	706	996	15.2	-1.2	60	94	1.5	26.1	29	59	6.6	1.30	1.40	81	0.072	0.52	0.28	\$492	\$127
7	3109	44499584	100L/100R	KD	9216/STUD	P*	3/9/2023	76	665	948	8.5	1.3	59	93	1.4	22.6	36	65	9.8	1.40	1.40	82	0.042	0.73	0.36	\$477	\$155
5	3112	44482646	80L/80R	9023	8068/TST	P*	3/10/2023	72	703	1040	15.8	-1.3	66	95	1.3	24.0	31	64	10.4	1.40	1.40	80	0.042	0.70	0.34	\$472	\$134
6	3116	44499593	100L/100R	FORT	9009/STK	P	3/10/2023	81	785	1050	6.9	1.5	66	103	1.9	18.7	22	55	3.0	1.50	1.50	79	0.002	0.61	0.26	\$395	\$135
5	3117	44482652	100L/80R	FP	9048/TOR	P	3/11/2023	81	671	994	8.7	-0.1	76	116	1.6	20.2	29	68	5.5	1.60	1.50	86	0.092	0.69	0.32	\$419	\$138
7	3120	44482656	100L/100R	FP	6056/8Y	P	3/11/2023	74	628	938	8.5	-0.3	63	96	1.9	18.7	35	66	8.6	1.30	1.40	74	0.042	0.33	0.22	\$390	\$125
6	3128	44511653	90L/90R	DESP	7054/4180	P*	3/12/2023	77	633	1015	5.9	0.7	64	95	1.3	24.7	27	59	5.8	1.40	1.40	69	0.062	0.29	0.56	\$492	\$148
6	3130	44482663	0L/0R	9023	0009/HIST	P*	3/13/2023	75	673	938	7.3	-0.3	62	97	1.1	20.9	32	63	2.3	1.40	1.40	102	0.042	1.05	0.35	\$465	\$173
6	3131	44482664	75L/100R	9023	8201/TST	P*	3/13/2023	87	647	934	9.5	1.3	64	96	1.2	27.7	32	64	4.8	1.40	1.40	81	0.052	0.66	0.51	\$544	\$156
4	3132	44482665	100L/100R	9023	8049/TST	P*	3/13/2023	82	760	1050	8.5	2.5	75	114	1.8	18.0	21	59	0.8	1.50	1.40	77	0.052	0.65	0.47	\$383	\$140

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	12/18 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB		
6	3134	44482666	100L/100R	9023	8015/TST	P*	3/13/2023	73	722	1010	10.6	-0.8	62	92	1.5	22.2	22	53	4.2	1.40	1.50	66	0.002	0.41	0.55	\$436	\$136		
5	3135	44482667	100L/50R	9023	0098/1491	P*	3/14/2023	70	681	980	11.3	-0.6	61	96	1.3	19.6	28	58	4.0	1.30	1.40	91	0.082	0.70	0.48	\$428	\$165		
6	3138	44482670	100L/90R	1030	8044/167Y	P*	3/14/2023	79	623	880	5.9	0.9	62	97	1.4	18.2	25	56	1.8	1.40	1.40	75	0.002	0.48	0.43	\$395	\$146		
7	3141	44499764	75L/100R	GR	7079/TST	P	3/15/2023	72	677	1000	12.8	0.8	62	105	1.5	27.3	38	69	11.1	1.40	1.30	84	0.052	0.61	0.67	\$558	\$187		
5	3143	44499591	100L/100R	FORT	9207/TST	P*	3/16/2023	82	722	946	4.3	1.0	61	87	1.7	18.6	22	53	-0.4	1.40	1.40	56	0.052	0.32	0.19	\$357	\$88		
4	3146	44482678	100L/100R	9023	7021/TST	P*	3/16/2023	78	673	970	12.3	-0.1	69	107	1.5	20.9	30	64	6.8	1.60	1.60	80	0.072	0.52	0.53	\$434	\$152		
5	3152	44482684	100L/75R	9023	8041/TST	P*	3/17/2023	76	749	1050	12.9	0.1	73	108	1.7	19.6	31	68	6.3	1.50	1.50	87	0.022	0.82	0.45	\$423	\$154		
5	3154	44482686	0L/40R	FP	7050/4180	P	3/17/2023	71	705	1055	13.8	-3.0	70	94	1.0	18.1	33	68	7.6	1.40	1.40	81	0.072	0.47	0.49	\$392	\$145		
6	3157	44482688	50L/0R	FP	0225/7027	P	3/17/2023	80	700	1020	5.6	1.5	77	122	1.7	16.3	30	69	4.8	1.50	1.50	89	0.082	0.56	0.32	\$369	\$145		
4	3170	44482696	0L/10R	9023	6067/LAR	P*	3/19/2023	81	751	978	7.8	2.2	76	120	1.5	15.0	31	69	4.9	1.30	1.20	88	0.012	0.78	0.28	\$363	\$150		
7	3175	44499768	100L/100R	GR	5093/10Y	P/S	3/20/2023	80	661	956	11.4	1.6	60	97	1.6	21.8	29	58	6.8	1.30	1.40	89	0.042	0.40	0.51	\$469	\$175		
6	3186	44499749	100L/90R	CUDA	9035/TOR	P*	3/22/2023	87	679	998	7.2	2.0	76	128	1.3	18.7	33	71	-2.6	1.40	1.30	93	0.002	0.74	0.16	\$421	\$156		
7	3187	44515112	0L/0R	TRD	0099/BHD	P	3/22/2023	82	656	930	7.6	1.3	63	103	0.9	16.3	27	59	5.5	1.20	1.30	88	0.042	0.55	0.40	\$383	\$163		
7	3189	44482711	10L/0R	9023	9030/6230	P*	3/24/2023	81	726	960	14.7	0.8	78	120	2.1	24.8	35	74	7.2	1.60	1.60	100	0.052	0.88	0.31	\$510	\$162		
6	3195	44482716	100L/80R	9023	9001/704	P*	3/26/2023	88	685	936	4.6	1.2	74	107	1.4	25.9	41	77	4.2	1.40	1.50	96	0.022	0.83	0.17	\$517	\$143		
Breed Average EPD's for 2022 Calves											3.3	2.7	55	89	1.0	16.7	26	54	1.9	1.25	1.28	69	0.020	0.43	0.13	\$358	\$117		
P - Heterozygous Polled						P* - Homozygous Polled																							
BRUCE: (406) 544-1536														Email: bruce@thomasherefords.com															