

THOMAS HEREFORDS - 2025 BULL SALE LISTING

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	365 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
4	4002	44595968	50L/90R	KD	2074/FP	P	2/4/2024	74	723	1272	10.6	0.7	81	117	1.2	27.7	36	77	8.7	1.50	1.50	93	0.073	0.70	0.50	\$561	\$170
4	4005	44595969	100L/90R	KD	2010/FP	P*	2/7/2024	71	710	1212	12.8	-0.5	65	87	1.3	25.0	33	66	8.9	1.60	1.50	77	0.053	0.76	0.09	\$470	\$102
4	4006	44595970	100L/100R	KD	2041/9023	P*	2/8/2024	79	734	1456	7.7	1.8	79	116	1.9	25.5	45	84	8.6	1.60	1.70	92	0.013	0.85	0.37	\$524	\$159
4	4008K	44595972	100L/75R	KD	2099/FP	P	2/8/2024	74	708	1338	10.6	0.2	75	113	1.0	23.7	35	73	9.5	1.50	1.50	89	0.053	0.77	0.34	\$487	\$151
4	4012H	44595976	100L/100R	KD	2137/FP	P	2/9/2024	81	803	1518	3.7	2.7	85	129	1.7	22.9	40	83	8.1	1.60	1.60	104	0.003	1.10	0.22	\$499	\$164
6	4015	44588565	90L/100R	KD	2167/9023	P	2/10/2024	73	628	1282	7.3	0.5	67	107	1.4	24.9	33	67	5.4	1.40	1.40	97	0.073	0.84	0.61	\$538	\$192
4	4017K	44595980	50L/100R	GR	2088/PERF	P*	2/10/2024	83	777	1429	8.7	2.0	72	115	1.1	25.9	44	80	8.3	1.30	1.40	100	0.053	0.99	0.39	\$544	\$177
5	4018K	44588556	100L/60R	9023	2205/6167	P*	2/11/2024	78	689	1357	-2.9	3.6	86	129	1.6	24.1	32	75	-5.7	1.70	1.80	105	0.033	0.93	0.27	\$511	\$166
5	4019	44595981	90L/75R	KD	2102/FP	P*	2/11/2024	89	666	1359	5.7	2.2	71	108	1.4	31.0	39	75	6.6	1.70	1.70	77	0.063	0.49	0.20	\$569	\$121
5	4023	44595982	100L/100R	GR	2020/PERF	P	2/13/2024	81	674	1273	8.9	1.0	64	100	0.4	27.1	27	59	2.8	1.40	1.30	78	0.093	0.76	0.34	\$524	\$137
4	4024	44595983	100L/100R	GR	2084/FP	P*	2/14/2024	77	731	1389	5.3	2.3	76	123	1.6	20.5	34	72	4.9	1.40	1.50	99	0.033	0.80	0.35	\$456	\$175
5	4025	44595984	100L/100R	GR	2117/CUDA	P*	2/14/2024	75	732	1374	6.8	2.2	74	110	0.9	21.5	37	74	4.5	1.20	1.20	91	0.033	0.72	0.51	\$474	\$180
5	4026	44595985	60L/100R	KD	2059/9023	P*	2/15/2024	74	668	1246	10.5	-1.0	62	91	1.4	28.8	36	67	8.7	1.50	1.60	77	0.073	0.66	0.48	\$554	\$147
4	4027	44595986	100L/100R	GR	2018/9023	P*	2/17/2024	85	794	1409	10.6	1.0	68	100	1.5	25.6	27	61	3.1	1.40	1.45	90	0.037	0.70	0.55	\$529	\$176
5	4029K	44595988	100L/90R	KD	2141/TRD	P	2/17/2024	81	682	1206	5.4	2.5	68	106	1.6	25.0	31	64	7.4	1.30	1.40	96	0.043	0.87	0.22	\$512	\$155
5	4034	44595993	80L/80R	KD	2004/FP	P	2/19/2024	87	701	1263	6.6	1.2	71	107	1.6	27.6	35	71	10.3	1.50	1.70	80	0.053	0.81	0.36	\$540	\$143
6	4035	44588569	100L/80R	KD	2056/FP	P*	2/19/2024	77	639	1231	9.7	-0.6	62	93	0.9	28.2	29	60	6.4	1.60	1.70	78	0.083	0.66	0.54	\$548	\$156
5	4037	44585002	0L/25R	1033	2116/FP	P*	2/29/2024	79	697	1347	6.1	0.2	65	106	1.6	18.6	39	72	6.8	1.40	1.30	75	0.013	0.52	0.28	\$405	\$143
5	4038	44585003	75L/75R	1033	2079/FP	P*	3/1/2024	72	700	1272	3.6	0.8	65	101	1.1	21.4	35	67	0.9	1.50	1.60	77	0.043	0.58	0.19	\$435	\$129
4	4045	44595996	100L/100R	HTN	9009/STK	P	3/7/2024	82	731	1317	1.8	2.1	76	123	1.6	24.5	31	69	3.3	1.50	1.40	82	0.013	0.68	0.29	\$502	\$151
6	4048	44595997	100L/100R	GR	1132/8132	P*	3/8/2024	82	630	1284	5.6	2.1	67	115	1.1	21.8	25	58	1.4	1.40	1.40	101	0.053	1.02	0.47	\$486	\$189
6	4051	44588581	100L/90R	FP	1037/9023	P	3/8/2024	81	654	1283	-0.4	2.0	83	124	1.4	19.9	40	81	-1.4	1.50	1.50	105	0.003	0.80	0.13	\$460	\$170

Pen	ID	Reg.	Pigment	SIRE	DAM	P/P*	BD	BW	205 WT	365 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
6	4054	44588585	100L/75R	HTN	0180/STK	P	3/8/2024	71	610	1303	10.7	0.8	70	117	1.6	17.5	26	61	5.3	1.40	1.40	96	0.053	0.89	0.20	\$418	\$170
6	4058	44588592	100L/80R	0015	2129/FP	P*	3/10/2024	71	697	1325	8.9	-0.1	67	97	1.1	21.9	33	66	3.1	1.50	1.55	76	0.021	0.63	0.48	\$468	\$161
5	4061	44596002	100L/100R	KD	1082/STK	P*	3/10/2024	77	680	1328	7.7	1.6	71	118	1.9	20.1	32	67	7.2	1.60	1.60	93	0.043	0.82	0.30	\$443	\$162
6	4063	44588596	100L/100R	GR	1134/9002	P	3/10/2024	73	590	1208	12.4	-0.6	62	98	1.4	28.2	34	65	6.2	1.40	1.40	69	0.043	0.31	0.57	\$552	\$161
4	4065K	44596004	0L/75R	OD	8212/BHD	P*	3/11/2024	84	755	1512	4.9	2.8	70	109	0.9	19.1	33	68	-1.2	1.50	1.50	77	0.043	0.26	0.23	\$379	\$116
4	4067	44588601	100L/100R	2008	8041/TST	P*	3/12/2024	76	685	1208	8.8	1.7	67	96	1.8	18.5	30	64	4.9	1.40	1.30	68	-0.017	0.51	0.39	\$395	\$136
5	4071	44596006	90L/90R	OD	0215/1491	P*	3/13/2024	78	625	1337	6.4	1.7	65	102	1.3	22.1	33	66	0.2	1.50	1.50	79	0.063	0.48	0.30	\$445	\$135
6	4073	44596007	100L/100R	GR	1062/TOR	P	3/14/2024	82	678	1349	7.8	2.0	71	108	1.5	21.0	25	61	3.8	1.50	1.50	97	0.073	0.78	0.44	\$466	\$174
6	4082	44588626	100L/90R	9023	7214/TST	P	3/15/2024	77	609	1108	14.3	-0.5	63	94	1.7	22.3	29	61	6.0	1.60	1.60	72	0.033	0.62	0.52	\$454	\$148
6	4083	44596011	75L/90R	HTN	1027/8132	P*	3/15/2024	83	655	1306	3.3	3.0	69	117	1.7	21.5	21	55	0.9	1.50	1.40	92	0.043	0.84	0.16	\$456	\$148
5	4084	44588628	100L/25R	9002	0179/514C	P*	3/15/2024	85	679	1400	6.6	1.8	66	110	0.9	19.3	45	78	9.6	1.30	1.40	69	0.043	0.11	0.28	\$400	\$127
4	4085	44588632	100L/100R	FP	9171/4180	H	3/16/2024	79	680	1438	7.5	-0.6	66	107	1.0	21.2	31	64	2.5	1.60	1.70	81	0.063	0.66	0.34	\$452	\$154
6	4089	44596014	100L/60R	HTN	7036/TST	P*	3/16/2024	83	620	1182	4.7	2.1	63	98	1.2	21.8	30	61	5.2	1.40	1.40	74	0.033	0.64	0.25	\$448	\$138
6	4096	44588657	20L/20R	9023	0009/HIST	P*	3/18/2024	71	653	1198	13.5	-1.2	59	93	1.2	24.2	31	60	2.7	1.60	1.60	93	0.063	0.78	0.39	\$503	\$165
4	4099	44596019	100L/30R	HTN	0146/STK	P	3/18/2024	80	758	1389	1.1	3.4	81	120	0.9	24.8	36	76	-1.2	1.40	1.30	107	0.023	1.03	0.40	\$540	\$188
5	4108	44596024	100L/100R	OD	9034/704	P*	3/20/2024	83	705	1442	4.1	3.1	83	137	2.0	15.7	34	76	0.2	1.30	1.40	113	0.023	1.02	0.02	\$394	\$164
6	4111	44596027	100L/90R	HTN	1020/STK	P*	3/21/2024	74	645	1344	7.0	0.3	69	115	1.5	24.2	34	69	4.6	1.70	1.60	97	0.033	0.86	0.35	\$522	\$181
5	4112	44588668	75L/50R	9023	8030/6230	P*	3/22/2024	69	666	1271	15.5	-1.7	65	94	2.1	25.2	34	67	4.6	1.50	1.50	93	0.063	0.75	0.44	\$514	\$164
5	4115	44588673	100L/100R	9023	1144/RB	P*	3/22/2024	87	719	1322	4.8	2.9	80	123	1.7	19.9	35	75	1.6	1.50	1.50	105	0.053	0.75	0.20	\$439	\$157
6	4121	44588681	40L/100R	0015	1008/CUDA	P*	3/23/2024	70	625	1266	14.7	-1.3	63	98	0.9	21.4	33	65	4.3	1.50	1.40	75	0.013	0.65	0.42	\$455	\$155
6	4125	44596030	100L/100R	HTN	0155/STK	P*	3/24/2024	83	658	1406	3.8	2.3	75	120	1.8	22.2	26	64	-1.2	1.40	1.30	76	0.013	0.62	0.30	\$466	\$146
5	4126	44588684	100L/80R	2008	8117/8132	P*	3/24/2024	84	653	1234	7.4	2.0	58	86	1.2	16.2	28	57	3.4	1.40	1.30	79	0.003	0.57	0.26	\$371	\$143

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	365 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
6	4130	44588687	100L/100R	0029	0027/HIST	P*	3/25/2024	83	650	1257	2.1	2.0	70	103	1.0	28.3	39	74	-2.5	1.50	1.50	80	0.063	0.81	0.26	\$554	\$139
6	4132	44588690	90L/80R	9023	0013/TST	P*	3/25/2024	75	626	1149	2.0	-0.3	59	87	1.3	24.6	28	57	4.3	1.60	1.70	71	0.073	0.26	0.52	\$475	\$142
5	4134	44588691	100L/40R	8219	9050/6001	P	3/26/2024	85	709	1293	3.3	2.4	62	96	1.2	20.2	28	59	0.1	1.30	1.30	60	0.013	0.28	0.28	\$402	\$115
6	4137	44596032	80L/100R	KD	0101/GC	P	3/27/2024	88	668	1275	6.5	3.0	70	114	1.4	22.1	34	69	5.7	1.40	1.40	88	0.033	0.79	0.25	\$473	\$156
6	4141	44588714	100L/100R	0029	8049/TST	P*	3/29/2024	77	625	1155	5.1	1.5	60	90	1.0	26.9	35	65	3.4	1.50	1.50	69	0.043	0.51	0.37	\$520	\$135
5	4323T	44588887	50L/0R	2028	2332/9122	P*	2/25/2024	77	733	1353	1.4	2.9	75	119	1.5	22.2	35	73	-1.1	1.50	1.70	89	0.003	0.68	0.26	\$464	\$153
4	4324T	44588889	100L/90R	FP	0339/7074	P	2/26/2024	82	652	1206	11.7	-0.5	63	95	1.1	23.0	39	70	5.4	1.80	1.80	83	0.043	0.70	0.27	\$478	\$151
Coming 2 Yr. Olds																											
	3020	44482467	100L/100R	TST	1172/BRUNO	P*	2/6/2023	69	672	1169	5.6	0.3	56	83	0.6	23.9	35	63	1.4	1.50	1.60	75	0.043	0.40	0.62	\$491	\$165
	3026	44499565	100L/100R	KD	1036/9023	P	2/8/2023	80	721	1233	9.4	1.1	72	104	1.8	27.7	38	74	11.0	1.50	1.50	91	0.043	0.94	0.25	\$553	\$150
	3060K	44482504	100L/90R	FP	8090/DIV	P	3/1/2023	84	661	1188	-0.3	1.6	62	91	0.6	18.3	26	57	-6.5	1.50	1.60	76	-0.007	0.53	0.00	\$386	\$116
	3062	44482506	0L/0R	9023	9211/GC	P*	3/1/2023	85	735	1279	8.5	2.0	68	95	2.1	21.7	27	61	2.4	1.50	1.50	83	0.013	0.76	0.20	\$439	\$129
	3095	44482633	100L/100R	FP	6006/TL	P	3/7/2023	81	707	1253	2.7	2.0	73	111	0.7	17.9	37	73	-1.2	1.50	1.50	99	0.023	0.74	0.03	\$413	\$151
	3100	44499583	50L/40R	KD	7067/STK	P*	3/8/2023	81	807	1400	10.6	0.0	67	107	1.2	28.4	30	63	10.2	1.50	1.60	73	0.043	0.49	0.41	\$534	\$137
	3103	44499762	20L/20R	GR	7138/STK	P	3/9/2023	94	686	1342	4.3	3.5	65	114	1.6	26.4	25	57	1.7	1.30	1.40	89	0.033	0.59	0.32	\$526	\$160
	3117	44482652	100L/80R	FP	9048/TOR	P	3/11/2023	81	671	1254	6.4	0.3	75	115	1.6	20.4	31	69	0.7	1.70	1.70	92	0.083	0.76	0.26	\$444	\$155
	3120	44482656	100L/100R	FP	6056/8Y	P*	3/11/2023	74	628	1158	6.7	0.1	62	93	1.8	19.8	36	67	3.5	1.50	1.50	80	0.033	0.42	0.17	\$429	\$142
	3135	44482667	100L/50R	9023	0098/1491	P*	3/14/2023	78	681	1218	10.0	-0.7	63	96	1.5	19.6	28	59	2.5	1.40	1.50	89	0.073	0.67	0.51	\$433	\$168
	3157	44482688	50L/0R	FP	0225/7027	P	3/17/2023	80	700	1328	2.1	2.0	77	124	1.8	16.5	32	70	1.0	1.60	1.60	96	0.083	0.65	0.27	\$392	\$161
	3187K	44515112	0L/0R	TRD	0099/BHD	P*	3/22/2023	82	656	1222	6.1	2.0	66	106	0.9	16.1	27	60	4.0	1.20	1.30	90	0.043	0.58	0.38	\$381	\$162
	3195	44482716	100L/80R	9023	9001/704	P*	3/26/2023	88	685	1266	3.5	1.5	75	109	1.6	26.0	40	77	2.0	1.50	1.50	96	0.023	0.85	0.17	\$522	\$146
BREED AVERAGE EPD'S											3.5	2.6	56	90	1.1	17.3	27	55	1.6	1.28	1.29	71	0.023	0.46	0.15	\$371	\$122

Pen	ID	Reg.	Pigment	SIRE	DAM	P/ P*	BD	BW	205 WT	365 WT	CE	B W	W W	YW	SC	SCF	M	M & G	C E M	US	TS	CW	F	REA	MAR	BMI	CHB
P - Heterozygous Polled						P* - Homozygous Polled																					
BRUCE: (406) 544-1536														Email: bruce@thomasherefords.com													